



## MOVEMENT SUMMARY

Vessel	:	MT PETROLIA DESGAGNES
Port	:	SPRAGUE OSWEGO, NY
Customer Product Description	:	# 6 FUEL
Client	:	PETROCANADA, SPRAGUE
Date	:	12/19/2003
Report #	:	# 03-004568

*Analysis : Based on receiving shore tank # 4 after discharge*

*Account : 100 % Sprague Energy*

*Lab Ref # 03-004568-NYHB-016*

<u>Test</u>	<u>Method</u>	<u>Result</u>	<u>Units</u>
API Gravity	D 4052	13.5	60 Deg F
Flash Point	D 93B	>200	Deg F
Viscosity	D 445	240.4	122 d F CST
Viscosity	D 2161	113.7	122 d F SFS
Pour Point	D 97	6 / 43	Deg C / F
Sulfur	D 4294	1.27	Pct Wt
BS & W	D 1796	0.05	Vol %
Heat of Combustion	D 240	18,549	Btu / Lb
Heat of Combustion	D 240	150,748	Btu / Gal
Asphaltene	D 3279	1.39	Wt %
Ash	D 482	0.047	Wt %
Micro Carbon Residue	D 4530	10.7	Wt %
Nitrogen	D 5762	0.29	Wt %
Sediment by Extraction	D 473	0.03	Wt %
Water by Distillation	D 95	0.1	Vol %
Sodium	ICP	19.2	PPM
Vanadium	ICP	26.3	PPM

BEST REGARDS,  
David Palkowetz  
Intertek Caleb Brett New York Harbor

SPRAGUE PROVIDES THE ATTACHED INSPECTION REPORT/ANALYSIS REPRESENTING THE SPECIFICATIONS OF THE PRODUCT AT THE SPRAGUE TERMINAL IN TANK ON THE DATE OF INSPECTION NOTED ON THE CERTIFICATE. THIS ANALYSIS IS PROVIDED TO THE CUSTOMER FOR THE PURPOSE OF ESTABLISHING THE INDEPENDENTLY VERIFIED PRODUCT SPECIFICATION ON A COMPOSITE BASIS IN SPRAGUE'S TERMINAL SHORE TANK AS NOTED ON THE CERTIFICATE. THE INSPECTION REPORT IS NOT TO BE USED FOR ANY OTHER PURPOSE. SPRAGUE DISCLAIMS ANY LIABILITY FOR THE PRODUCT AFTER DELIVERY BY SPRAGUE TO CUSTOMER. SPRAGUE DISCLAIMS ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR AN INTENDED USE EXCEPT AS MAY BE SPECIFICALLY SET FORTH IN WRITING IN ANY CONTRACT OR TERMS OF SALE BETWEEN SPRAGUE AND A BUYER OF PRODUCT. SPRAGUE ASSUMES NO LIABILITY FOR CLAIMS OR LOSSES THAT MAY ARISE FROM CUSTOMER'S USE OF THIS INSPECTION REPORT/ANALYSIS.